

## EAST Search History

| Ref # | Hits | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|---|--|------------------|---------|------------------|
| L8    | 97   | (display\$3 show\$3 preview\$3 illustrat\$4 indicat\$4) near5 (change) near5 (configur\$6 setting control loaded) near5 (value level gain knob dial fader slider) and (audio music multi\$1media) near5 (workstation console editor mixer mixing)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/22 10:06 |
| L9    | 238  | (display\$3 show\$3 preview\$3 illustrat\$4 indicat\$4) near10 (differen\$3 change delta) near10 (value level gain knob dial fader slider) near10 (scene pre\$1set\$3 set\$4 configur\$6 pre\$1load\$3 snap\$1shot load\$3) and (audio music multi\$1media) near5 (workstation console editor mixer mixing)                         | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/22 10:15 |
| L10   | 21   | (display\$3 show\$3 preview\$3 illustrat\$4 indicat\$4) near10 (differen\$3 change delta) near10 (value level gain knob dial fader slider) near10 (scene pre\$1set\$3 pre\$1load\$3 snap\$1shot) and (audio music multi\$1media) near5 (workstation console editor mixer mixing)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/22 10:14 |
| L11   | 164  | (display\$3 show\$3 preview\$3 illustrat\$4 indicat\$4) near10 (differen\$3 change delta) near10 (value level gain knob dial fader slider) near10 (scene pre\$1set\$3 pre\$1load\$3 snap\$1shot) near20 (memory stor\$3)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/22 10:15 |
| L12   | 94   | (display\$3 show\$3 preview\$3 illustrat\$4 indicat\$4) near10 (differen\$3 change delta) near10 (value level gain knob dial fader slider) near10 (scene pre\$1set\$3 set\$4 configur\$6 pre\$1load\$3 snap\$1shot load\$3) near20 (memory stor\$3) and (audio music multi\$1media) near5 (workstation console editor mixer mixing) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/22 10:17 |

## EAST Search History

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| L13 | 104  | (display\$3 show\$3 preview\$3 illustrat\$4 indicat\$4) near10 (differen\$3 change delta) near10 (value level gain knob dial fader slider) near10 (scene pre\$1set\$3 set\$4 configur\$6 pre\$1load\$3 snap\$1shot load\$3) near20 (memory stor\$3) and (audio music multi\$1media) near5 (workstation console edit\$3 mix\$3 board)                        | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/22 10:19 |
| L14 | 20   | (display\$3 show\$3 preview\$3 illustrat\$4 indicat\$4) near10 (differen\$3 change delta) near10 (value level gain knob dial fader slider) near10 (scene pre\$1set\$3 set\$4 configur\$6 pre\$1load\$3 snap\$1shot load\$3) near20 (memory stor\$3) and (audio music multi\$1media) near5 (workstation console edit\$3 mix\$3 board) not (ando-hideo\$.in.) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/22 10:22 |
| L15 | 2031 | 345/157.ccls.   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/22 10:22 |
| L16 | 44   | 345/157.ccls. and 345/162.ccls.   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/22 10:26 |
| L17 | 446  | 345/184.ccls.   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/22 10:23 |
| L20 | 234  | 345/3.1.ccls.   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/22 10:23 |

## EAST Search History

|     |      |  |  |    |    |                  |
|-----|------|--|--|----|----|------------------|
| L21 | 239  | (display\$3 show\$3 indicat\$4) near10 (user operator person engineer) near10 (chang\$3 differen\$3 alter\$6 modif\$7 shift\$3 switch\$3 turn\$3) near5 (knob slider fader pot potentiometer dial) and ("345".clas. 715/716.ccls. 700/94. ccls. 318/119.ccls.) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/22 10:52 |
| L22 | 0    | (drop near5 menu) near20 (hide hiding faded fading shadow\$3) near5 (undo) near5 (command)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/22 10:53 |
| L23 | 0    | (drop near5 menu) near20 (hide hiding faded fading shadow\$3) near5 (undo)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/22 10:53 |
| L24 | 3    | (menu) near20 (hide hiding faded fading shadow\$3) near5 (undo)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/22 10:53 |
| S1  | 2    | "6438241".pn.  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/08 13:46 |
| S2  | 1    | "10".src. and "796544".ap.   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/08 13:47 |
| S3  | 1332 | 700/94.ccls.   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/10 20:47 |
| S4  | 778  | 715/716.ccls.  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/10 20:47 |

## EAST Search History

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| S7  | 76   | (led "light emitting diode") near20 (sav\$3 set\$4 old) near5 (value) near10 (load\$3 new) near5 (value)                              | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/15 15:33 |
| S8  | 2    | 381/119.ccls. and (memor\$3 sav\$3) near10 (settings control) and (display\$3 show\$3) near5 (preview\$3) near10 (settings control)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/15 15:36 |
| S9  | 8    | 715/716.ccls. and (memor\$3 sav\$3) near10 (settings control) and (display\$3 show\$3) near5 (preview\$3) near10 (settings control)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 12:52 |
| S10 | 0    | 700/94.ccls. and (memor\$3 sav\$3) near10 (settings control) and (display\$3 show\$3) near5 (preview\$3) near10 (settings control)    | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/15 15:38 |
| S11 | 7    | ("5959610").URPN.   | USPAT  | OR | ON | 2008/01/15 15:43 |
| S12 | 16   | 715/716.ccls. and (display\$3 show\$3) near20 (preview\$3) near20 (settings control)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 12:54 |
| S13 | 1302 | (display\$3 show\$3 preview\$3) near20 (difference change delta) near5 (configur\$6 setting control) same (audio music multi\$1media) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 12:59 |
| S14 | 49   | (display\$3 show\$3 preview\$3) near5 (difference) near5 (configur\$6 setting control) same (audio music multi\$1media)               | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 12:57 |
| S15 | 526  | (display\$3 show\$3 preview\$3) near5 (change) near5 (configur\$6 setting control) same (audio music multi\$1media)                   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/22 09:54 |

## EAST Search History

|     |      |  |  |    |    |                  |
|-----|------|--|--|----|----|------------------|
| S16 | 0    | (display\$3 show\$3) near5<br>(preview\$3) near5 (change) near5<br>(configur\$6 setting control) same<br>(audio music multi\$1media)                                       | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 13:00 |
| S17 | 62   | (display\$3 show\$3) near5<br>(preview\$3) near5 (configur\$6<br>setting control) same (audio music<br>multi\$1media)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 13:16 |
| S18 | 0    | (preview\$3) near2 (setting gain<br>level volume) same (audio near2<br>(mixer workstation console))  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 13:18 |
| S19 | 0    | (preview\$3) near20 (setting gain<br>level volume) same (audio near2<br>(mixer workstation console))   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 13:18 |
| S20 | 36   | (preview\$3) near20 (setting gain<br>level volume) and (audio near2<br>(mixer workstation console))  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:30 |
| S21 | 2    | "4479240".pn.  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:13 |
| S22 | 3    | (view\$3 display\$3 show\$3<br>preview\$3) near10 (old set) near10<br>(new load\$3) near10 (setting gain<br>level volume) and (audio near2<br>(mixer workstation console)) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:32 |
| S23 | 1447 | (view\$3 display\$3 show\$3<br>preview\$3) near10 (old set) near10<br>(new load\$3) near10 (setting gain<br>level volume)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:32 |

## EAST Search History

|     |      |  |  |    |    |                  |
|-----|------|--|--|----|----|------------------|
| S24 | 3721 | (view\$3 display\$3 show\$3 preview\$3) near10 (old set) near10 (setting gain level volume value) near10 (new load\$3)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:33 |
| S25 | 0    | (view\$3 display\$3 show\$3 preview\$3) near10 (old set) near10 (setting gain level volume value) near10 (new load\$3) same ((audio music) near5 (mixer console work\$1station))       | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:34 |
| S26 | 0    | (view\$3 display\$3 show\$3 preview\$3) near10 (old set) near10 (setting gain level volume value) near10 (new load\$3) same ((sound audio music) near5 (mixer console work\$1station)) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:34 |
| S27 | 112  | (view\$3 display\$3 show\$3 preview\$3) near10 (old set) near10 (setting gain level volume value) near10 (new load\$3) and ((sound audio music) near5 (mixer console work\$1station))  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:41 |
| S28 | 0    | (view\$3 display\$3 show\$3 preview\$3) near10 (old set) near10 (fader) near10 (new load\$3) and ((sound audio music) near5 (mixer console work\$1station))                            | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:43 |
| S29 | 0    | (view\$3 display\$3 show\$3 preview\$3) near10 (old set) near10 (fader) near10 (locat\$4)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:43 |
| S30 | 31   | (view\$3 display\$3 show\$3 preview\$3) near10 (fader) near10 (locat\$4)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:47 |
| S31 | 154  | (view\$3 display\$3 show\$3 preview\$3) near10 (fader) near10 (set\$4 locat\$4 value)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:53 |

## EAST Search History

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| S32 | 2   | (view\$3 display\$3 show\$3 preview\$3) near10 (fader) near10 (set\$4 locat\$4 value) near5 (old\$2 previous\$2 prior before subsequent\$4)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:55 |
| S33 | 581 | (view\$3 display\$3 show\$3 preview\$3) near20 (slider fader potentiometer dial knob) near10 (set\$4 locat\$4 value) near10 (old\$2 previous\$2 prior before subsequent\$4)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 15:20 |
| S34 | 18  | (view\$3 display\$3 show\$3 preview\$3) near20 (slider fader potentiometer dial knob) near10 (set\$4 locat\$4 value) near10 (old\$2 previous\$2 prior before subsequent\$4) and ((sound audio music) near5 (mixer console work\$1station)) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 14:57 |
| S35 | 60  | (view\$3 display\$3 show\$3 preview\$3) near20 (slider fader potentiometer dial knob) near10 (set\$4 locat\$4 value) near10 (old\$2 previous\$2 prior before subsequent\$4) near10 (new chang\$3 updat\$3)                                 | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/18 15:22 |
| S36 | 1   | (display\$3 show\$3 illustrat\$4 convey\$3) near10 (difference change) near10 (old previous) near5 (new next) near5 (position location value level) same (led lcd light adj emitting adj diode)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/21 22:55 |
| S37 | 2   | (display\$3 show\$3 illustrat\$4 convey\$3) near50 (difference change) near50 (old previous) near20 (new next) near20 (position location value level) same (led lcd light adj emitting adj diode)  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/21 22:56 |
| S38 | 149 | (display\$3 show\$3 illustrat\$4 convey\$3) near50 (differen\$3 change) near50 (old previous) near20 (new next load\$3 preced\$4) near20 (position location value level) and (led lcd light adj emitting adj diode)                        | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/21 23:03 |

## EAST Search History

|     |       |  |  |    |    |                  |
|-----|-------|--|--|----|----|------------------|
| S39 | 15838 | (radi\$3 dial\$3) near20 (lcd led)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/21 23:03 |
| S40 | 7523  | (radi\$3 dial) near5 (lcd led)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/21 23:04 |
| S41 | 7     | (radi\$3 dial) near5 (lcd led) near20<br>(display\$3 show\$3 illustrat\$4<br>convey\$3) near5 (plural\$3 multiple<br>two dual several) near5 (value level<br>position location)                                    | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/21 23:05 |
| S42 | 3191  | (radi\$3 dial) near20 (display\$3<br>show\$3 illustrat\$4 convey\$3) near5<br>(plural\$3 multiple two dual several)<br>near5 (value level position location)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/21 23:06 |
| S43 | 46    | (light adj emitting adj diode led lcd)<br>near20 (radi\$3 dial) near50<br>(display\$3 show\$3 illustrat\$4<br>convey\$3) near20 (plural\$3 multiple<br>two dual several) near10 (value<br>level position location) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/21 23:06 |
| S44 | 23    | ("4814757").URPN.  | USPAT  | OR | ON | 2008/01/21 23:11 |